

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Great Britain and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Shield Pro

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : End use herbicide product

1.3 Details of the supplier of the safety data sheet

COMPANY IDENTIFICATION

Manufacturer/importer

Corteva Agriscience UK Ltd
CPC2 CAPITAL PARK
FULBOURN CAMBRIDGE - England - CB21 5XE
UNITED KINGDOM

Customer Information Number : +44 8006 89 8899

E-mail address : SDS@corteva.com

1.4 Emergency telephone number

+44 161 88 41235

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758




Shield Pro

Version 1.0 Revision Date: 1/27/2023 SDS Number: 400000001143 Date of last issue: -
Date of first issue: 27.01.2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P391 Collect spillage.
Disposal:
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Clopyralid monoethanolamine salt	57754-85-5 260-929-4	Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 10	>= 40 - < 50
hexachlorobenzene	118-74-1	Carc. 1B; H350	>= 0.0002 - <

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Shield Pro

Version 1.0 Revision Date: 1/27/2023 SDS Number: 400000001143 Date of last issue: -
Date of first issue: 27.01.2023

	204-273-9 602-065-00-6	STOT RE 1; H372 (Adrenal gland, Kidney, Liver, Bone, Skin, Thy- roid) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1,000	0.0025
--	---------------------------	---	--------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
- If swallowed : No emergency medical treatment necessary.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to:
Carbon oxides
Nitrogen oxides (NO_x)
Hydrogen chloride gas

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities. Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, underwater.
See Section 12, Ecological Information.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
See Section 13, Disposal Considerations, for additional information.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Strong oxidizing agents

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Eye protection : Use safety glasses (with side shields).
Hand protection

Remarks : Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

Skin and body protection : No precautions other than clean body-covering clothing should be needed.

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquid.
Colour	: Brown
Odour	: No data available
Odour Threshold	: No data available
pH	: 6.9 Concentration: 1 % Method: CIPAC MT 75.3 GLP: yes
Melting point/range	: Not applicable
Freezing point	: No data available
Boiling point/boiling range	: 102 °C
Flash point	: Method: EC Method A9, closed cup GLP: yes

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

Evaporation rate : none below boiling point

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable to liquids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.2 (20 °C)
Method: EC Method A3

Density : 1.196 g/mL

Solubility(ies)
Water solubility : miscible

Auto-ignition temperature : Method: EC Method A15
GLP: yes
none below 400 degC

Viscosity
Viscosity, dynamic : 6.08 mPa,s (20 °C)
GLP: yes

Viscosity, kinematic : 5.07 mm²/s (20 °C)
GLP: yes

Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed.
Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

No hazards to be specially mentioned.
None known.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None.

10.6 Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

Decomposition products can include and are not limited to:

Carbon oxides

Nitrogen oxides (NO_x)

Hydrogen chloride gas

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Components:

Clopyralid monoethanolamine salt:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Maximum attainable concentration.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

hexachlorobenzene:

Acute oral toxicity : LD50 (Rat): 3,500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version 1.0 Revision Date: 1/27/2023 SDS Number: 400000001143 Date of last issue: -
Date of first issue: 27.01.2023

Skin corrosion/irritation

Product:

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Result : No eye irritation

Components:

Clopyralid monoethanolamine salt:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Product:

Assessment : Does not cause skin sensitisation.

Components:

Clopyralid monoethanolamine salt:

Species : Mouse
Assessment : Does not cause skin sensitisation.

hexachlorobenzene:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.

Remarks : For respiratory sensitization:
No relevant data found.

Germ cell mutagenicity

Components:

Clopyralid monoethanolamine salt:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

hexachlorobenzene:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were predominantly negative., Animal genetic toxicity studies were negative.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version 1.0 Revision Date: 1/27/2023 SDS Number: 400000001143 Date of last issue: -
Date of first issue: 27.01.2023

Carcinogenicity

Components:

Clopyralid monoethanolamine salt:

Carcinogenicity - Assessment : Similar formulations did not cause cancer in laboratory animals.

hexachlorobenzene:

Carcinogenicity - Assessment : Possible human carcinogen
Has caused cancer in laboratory animals.

Reproductive toxicity

Components:

Clopyralid monoethanolamine salt:

Reproductive toxicity - Assessment : In animal studies, active ingredient did not interfere with reproduction.
Clopyralid caused birth defects in test animals, but only at greatly exaggerated doses that were severely toxic to the mothers. No birth defects were observed in animals given clopyralid at doses several times greater than those expected during normal exposure.

hexachlorobenzene:

Reproductive toxicity - Assessment : In animal studies, has been shown to interfere with reproduction.
Has caused birth defects in laboratory animals only at doses toxic to the mother., Has been toxic to the fetus in lab animals at doses nontoxic to the mother., Toxicity to the neonate but not birth defects have occurred in offspring of humans known to have ingested toxic amounts of hexachlorobenzene.

STOT - single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

Clopyralid monoethanolamine salt:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

hexachlorobenzene:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

STOT - repeated exposure

Components:

hexachlorobenzene:

Exposure routes : Ingestion
Target Organs : Adrenal gland, Kidney, Liver, Bone, Skin, Thyroid
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Clopyralid monoethanolamine salt:

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

hexachlorobenzene:

Remarks : In humans, effects have been reported on the following organs:
Eye.
In humans, symptoms may include:
Hair (alopecia)
Convulsions.
Tremors.
In animals, effects have been reported on the following organs:
Immune system.
Kidney.
Liver.
Nervous system.

Aspiration toxicity

Product:

Based on physical properties, not likely to be an aspiration hazard.

Components:

Clopyralid monoethanolamine salt:

Based on available information, aspiration hazard could not be determined.

hexachlorobenzene:

Based on physical properties, not likely to be an aspiration hazard.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

SECTION 12: Ecological information

12.1 Toxicity

Components:

Clopyralid monoethanolamine salt:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 30 mg/l
Exposure time: 72 h
- ErC50 (Myriophyllum spicatum): > 3 mg/l
Exposure time: 14 d
Remarks: For similar material(s):
- NOEC (Myriophyllum spicatum): 0.0089 mg/l
Exposure time: 14 d
Remarks: For similar material(s):
- M-Factor (Chronic aquatic toxicity) : 10
- Toxicity to terrestrial organisms : oral LD50: 1465 - 2000 mg/kg bodyweight.
Exposure time: 14 d
Species: Anas platyrhynchos (Mallard duck)
Remarks: For similar active ingredient(s).
- dietary LC50: > 5000 mg/kg diet.
Exposure time: 8 d
Species: Colinus virginianus (Bobwhite quail)
Remarks: For similar active ingredient(s).
- contact LD50: > 100 micrograms/bee
Exposure time: 48 d
Species: Apis mellifera (bees)
Remarks: For similar active ingredient(s).
- oral LD50: > 98.1 micrograms/bee
Exposure time: 48 d
Species: Apis mellifera (bees)
Remarks: For similar active ingredient(s).

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

hexachlorobenzene:

Toxicity to fish : Remarks: Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

Remarks: Material is very toxic to aquatic organisms (LC50/EC50/IC50 below 1 mg/L in the most sensitive species).

LC50 (Brown trout (Salmo trutta)): > 0.3 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.005 mg/l
Exposure time: 48 h
Method: Other guidelines

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.03 mg/l
End point: Growth rate
Exposure time: 96 h
Method: Method Not Specified.

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.00004 mg/l
End point: number of offspring
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: Other guidelines

M-Factor (Chronic aquatic toxicity) : 1,000

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

Clopyralid monoethanolamine salt:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

Biodegradability : Result: Not biodegradable
Remarks: For similar active ingredient(s).
Clopyralid.

hexachlorobenzene:

Biodegradability : Result: Not biodegradable
Remarks: Biodegradation under aerobic laboratory conditions is below detectable limits (BOD20 or BOD28/ThOD < 2.5%).
Material is not readily biodegradable according to OECD/EEC guidelines.

Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301C
Remarks: 10-day Window: Not applicable

12.3 Bioaccumulative potential

Components:

Clopyralid monoethanolamine salt:

Partition coefficient: n-octanol/water : Remarks: For similar active ingredient(s).
Clopyralid.
Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

hexachlorobenzene:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): > 12,000
Method: Measured

Partition coefficient: n-octanol/water : log Pow: 5.73
Method: Measured
Remarks: Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

12.4 Mobility in soil

Components:

Clopyralid monoethanolamine salt:

Distribution among environmental compartments : Remarks: For similar active ingredient(s).
Clopyralid.
Potential for mobility in soil is very high (Koc between 0 and 50).

hexachlorobenzene:

Distribution among environmental compartments : Koc: > 5000
Remarks: Expected to be relatively immobile in soil (Koc > 5000).

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Clopyralid monoethanolamine salt:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

hexachlorobenzene:

Assessment : This substance is considered to be persistent, bioaccumulating and toxic (PBT).. This substance is considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

Clopyralid monoethanolamine salt:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

hexachlorobenzene:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or other-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

wise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: Transport information

14.1 UN number

ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

14.2 UN proper shipping name

ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clopyralid)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clopyralid)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clopyralid)
IATA	:	Environmentally hazardous substance, liquid, n.o.s. (Clopyralid)

14.3 Transport hazard class(es)

ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADR		
Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9
Tunnel restriction code	:	(-)
RID		
Packing group	:	III
Classification Code	:	M6

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Remarks : Stowage category A

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Candidate List of Substances of Very High : Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009.

Refer to the label for exposure assessment information.

SECTION 16: Other information

Full text of H-Statements

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard

Aquatic Chronic : Long-term (chronic) aquatic hazard

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Re-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Shield Pro

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	1/27/2023	400000001143	Date of first issue: 27.01.2023

striction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method

Product code: GF-2000

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / 6N