

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SMITTEN

Version Revision Date: SDS Number: This version replaces all previous versions. 7.2 07.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SMITTEN

Product Registration Number: MAPP 18477

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Insecticide

1.3 Details of the supplier of the safety data sheet

Company: PAN AGRICULTURE LTD. Telephone: +44 (0) 1480 467790
8 Cromwell Mews
Station Road
St Ives
Cambridgeshire
PE27 5HJ, UK

E-mail address of person responsible for the SDS: info@panagriculture.co.uk

1.4 Emergency telephone number

Emergency telephone number:

24 Hour Emergency Contact Number (NPIS): 0844 892 0111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May damage organs via prolonged/repeated exposure.
Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.
Chronic aquatic toxicity, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	Warning	
Hazard statements	H302	Harmful if swallowed.
	H319	Causes serious eye irritation.
	H373	May cause damage to organs through prolonged or repeated exposure.
Supplemental Hazard Statements	H410	Very toxic to aquatic life with long lasting effects.
	EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
Precautionary statements	P102	Keep out of reach of children.
	P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
	P270	Do not eat, drink or smoke when using this product.
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337 + P313	If eye irritation persists: Get medical advice/ attention.
	P314	Get medical advice/ attention if you feel unwell.
	P391	Collect spillage.
P501	Dispose of contents/container to a licensed hazardous- waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non- hazardous waste.	

2.3 Other hazards This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cyclohexanol	108-93-0 203-630-6 603-009-00-3 01- 2119447488-26	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Irrit. 2; H315 STOT SE 3; H335	>= 50 - < 70
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119555270-46	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2.5
Abamectin (combination of avermectin B1a and avermectin B1b)	71751-41-2 606-143- 00-0	Acute Tox. 2; H300 Acute Tox. 1; H330 Acute Tox. 3; H311 Repr. 2; H361d STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice: Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled: Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.

In case of skin contact: Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

If swallowed: If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: Lack of coordination. Tremors. Dilatation of the pupil

4.3 Indication of any immediate medical attention and special treatment needed

Medical Advice

Treatment: This material is believed to enhance GABA activity in animals. It is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic mectin exposure. Toxicity can be minimized by early administration of chemical absorbents (e.g. activated charcoal). If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures as indicated by clinical signs, symptoms and measurements.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media - large fires

Use alcohol-resistant foam or water spray

Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting: As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).

Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Special protective equipment for firefighters: Wear full protective clothing and self-contained breathing apparatus.

Further information: Do not allow run-off from fire-fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling: No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s): For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Cyclohexanol	108-93-0	TWA	50 ppm 208 mg/m ³	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
propane-1,2-diol	57-55-6	TWA (particles)	10 mg/m ³	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
	57-55-6	TWA (Total vapour and particles)	150 ppm 474 mg/m ³	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
2,6-di-tert-butyl-p- cresol	128-37-0	TWA	10 mg/m ³	GB EH40

Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
abamectin (combination of avermectin B1a and avermectin B1b)	71751-41-2	TWA	0.02 mg/m ³	Syngenta

Occupational Exposure Limits

8.2 Exposure controls

Engineering measures: Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection: Tightly fitting safety goggles

Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Use eye protection according to EN 166.

Hand protection

Material: Nitrile rubber

Break through time: > 480 min

Glove length: 0.5 mm

Remarks: Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin and body protection: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Respiratory protection: No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures: The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	liquid
Colour	pale yellow to brown
Odour	aromatic
Odour Threshold	No data available
pH	3.2 (25 °C) Concentration: 1.0 % w/v
Melting point/range	No data available
Boiling point/boiling range	No data available
Flash point	69 °C
	Method: Pensky-Martens closed cup
Evaporation rate	No data available

Flammability (solid, gas)	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Relative vapour density	No data available
Density	0.98 g/cm ³
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	320 °C
Decomposition temperature	No data available
Viscosity, dynamic	65 mPa.s (40 °C)
Explosive properties	Not explosive
Oxidizing properties	The substance or mixture is not classified as oxidizing.

9.2 Other information

Surface tension: 41.8 mN/m, 0.1 % w/v

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions: No dangerous reaction known under conditions of normal use

10.4 Conditions to avoid

Conditions to avoid: No decomposition if used as directed

10.5 Incompatible materials

Materials to avoid: None known

10.6 Hazardous decomposition products

Hazardous decomposition: No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure: Ingestion, Inhalation, Skin contact, Eye contact

Acute oral toxicity

Product:

Acute oral toxicity	LD50 (Rat, female): 891 mg/kg Remarks: The toxicological data has been taken from products of similar composition.
Acute inhalation toxicity	LC50 (Rat, male and female): > 5.04 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity.

Acute dermal toxicity Remarks: The toxicological data has been taken from products of similar composition.
LD50 (Rat, male and female): > 5,050 mg/kg
Remarks: The toxicological data has been taken from products of similar composition.

Components:

Cyclohexanol:

Acute oral toxicity: LD50 (Rat, male and female): 1,400 mg/kg
Acute inhalation toxicity: LC50 (Rat, male and female): > 3.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation.

Abamectin (combination of avermectin B1a and avermectin B1b):

Acute oral toxicity: LD50 (Rat, male): 8.7 mg/kg
LD50 (Rat, female): 12.8 mg/kg
Acute inhalation toxicity: LC50 (Rat, female): > 0.034 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
LC50 (Rat, male): > 0.051 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity: LD50 (Rat, male): 200 - 300 mg/kg
Assessment: The component/mixture is toxic after single contact with skin.
LD50 (Rat, female): 300 - 400 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit

Result: No skin irritation

Remarks: The toxicological data has been taken from products of similar composition.

Components

Cyclohexanol:

Species: Rabbit

Result: Irritating to skin

Abamectin (combination of avermectin B1a and avermectin B1b):

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: Eye irritation

Remarks: The toxicological data has been taken from products of similar composition.

Components:

Cyclohexanol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Abamectin (combination of avermectin B1a and avermectin B1b):

Species: Rabbit
Result: No eye irritation

Respiratory or skin sensitisation

Product:

Test Type: Buehler Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Remarks: The toxicological data has been taken from products of similar composition.

Components:

Abamectin (combination of avermectin B1a and avermectin B1b):

Test Type: mouse lymphoma cells

Species: Mouse

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

Abamectin (combination of avermectin B1a and avermectin B1b):

Germ cell mutagenicity – Assessment: Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

Abamectin (combination of avermectin B1a and avermectin B1b):

Carcinogenicity - Assessment: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

Abamectin (combination of avermectin B1a and avermectin B1b):

Reproductive toxicity - Assessment: Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Cyclohexanol:

Exposure routes: Inhalation

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Components:

Abamectin (combination of avermectin B1a and avermectin B1b):

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.247 mg/l Exposure time: 96 h Remarks: Based on test results obtained with similar product.
-------------------	--

Toxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 0.095 mg/l
Exposure time: 48 h
Remarks: Based on test results obtained with similar product.

Toxicity to algae: EbC50 (Pseudokirchneriella subcapitata (green algae)): 80 mg/l
Exposure time: 72 h
Remarks: Based on test results obtained with similar product.
ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Remarks: Based on test results obtained with similar product.

Components:

Cyclohexanol:

Toxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 17 mg/l
Exposure time: 48 h

2,6-di-tert-butyl-p-cresol:

Toxicity to fish: LC0 (Danio rerio (zebra fish)): 0.57 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 0.61 mg/l
Exposure time: 48 h

Toxicity to algae: IC50 (Desmodesmus subspicatus (green algae)): 0.4 mg/l
Exposure time: 72 h

Toxicity to microorganisms: EC50 (Bacteria): > 10,000 mg/l
Exposure time: 3 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity): NOEC: 0.316 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

Abamectin (combination of avermectin B1a and avermectin B1b):

Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 2.7 µg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia pulex (Water flea)): 0.12 µg/l
Exposure time: 48 h
EC50 (Americamysis bahia (Mysid shrimp)): 0.022 µg/l
Exposure time: 96 h

Toxicity to algae: ErC50 (Navicula pelliculosa (Freshwater diatom)): > 1 mg/l
Exposure time: 96 h
NOEC (Navicula pelliculosa (Freshwater diatom)): 0.4 mg/l
End point: Growth rate
Exposure time: 96 h

M-Factor (Acute aquatic toxicity): 10,000

Toxicity to microorganisms: EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity): NOEC: 0.52 µg/l
Exposure time: 72 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity): NOEC: 0.01 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
NOEC: 0.002 mg/l
Exposure time: 28 d

M-Factor (Chronic aquatic toxicity) 10,000
Species: Americamysis bahia (Mysid shrimp)

12.2 Persistence and degradability

Components:

Cyclohexanol:

Biodegradability: Result: Readily biodegradable.

Abamectin (combination of avermectin B1a and avermectin B1b):

Biodegradability: Result: Not readily biodegradable.

Stability in water: Degradation half-life: 1.7 d

Remarks: Product is not persistent.

12.3 Bioaccumulative potential

Components:

Abamectin (combination of avermectin B1a and avermectin B1b):

Bioaccumulation: Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water: log Pow: 4.4

12.4 Mobility in soil

Components:

Abamectin (combination of avermectin B1a and avermectin B1b):

Distribution among environmental compartments: Remarks: Slightly mobile in soils

Stability in soil: Dissipation time: 12 - 52 d

Percentage dissipation: 50 % (DT50)

Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Cyclohexanol:

Assessment: This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

2,6-di-tert-butyl-p-cresol:

Assessment: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Abamectin (combination of avermectin B1a and avermectin B1b):

Assessment: This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product: Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging: Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty

containers.

Waste Code: 150110, packaging containing residues of or contaminated by dangerous substances.

SECTION 14: Transport information

14.1 UN number

ADN: UN 3082
ADR: UN 3082
RID: UN 3082
IMDG: UN 3082
IATA: UN 3082

14.2 UN proper shipping name

ADN ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ABAMECTIN)
ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ABAMECTIN)
RID ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ABAMECTIN)
IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ABAMECTIN)
IATA Environmentally hazardous substance, liquid, n.o.s. (ABAMECTIN)

14.3 Transport hazard class(es)

ADN: 9
ADR: 9
RID: 9
IMDG: 9
IATA: 9

14.4 Packing group

ADN

Packing group: III
Classification Code: M6
Hazard Identification Number: 90
Labels: 9

ADR

Packing group: III
Classification Code: M6
Hazard Identification Number: 90
Labels: 9
Tunnel restriction code: (-)

RID

Packing group: III
Classification Code: M6
Hazard Identification Number: 90
Labels: 9

IMDG

Packing group: III
Labels: 9
EmS Code: F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft): 964

Packing instruction (LQ): Y964

Packing group: III

Labels: Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft): 964

Packing instruction (LQ): Y964

Packing group: III

Labels: Miscellaneous

14.5 Environmental hazards**ADN**

Environmentally hazardous: yes

ADR

Environmentally hazardous: yes

RID

Environmentally hazardous: yes

IMDG

Marine pollutant: yes

IATA (Passenger)

Environmentally hazardous: yes

IATA (Cargo)

Environmentally hazardous: yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet.

Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59): Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer: Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1	ENVIRONMENTAL HAZARDS	Quantity 1	Quantity 2
		100 t	200 t

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Use plant protection products safely. Always read the label and

product information before use. Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H300	Fatal if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to the nervous system through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.:	Acute toxicity
Aquatic Acute:	Acute aquatic toxicity
Aquatic Chronic:	Chronic aquatic toxicity
Repr.:	Reproductive toxicity
Skin Irrit.:	Skin irritation
STOT RE:	Specific target organ toxicity - repeated exposure
STOT SE:	Specific target organ toxicity - single exposure
GB EH40:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization

for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Acute Tox. 4	H302
Eye Irrit. 2	H319
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method
Based on product data or assessment
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.